

**603979 (EPR-SiTngs-EU)**

GourmeXpress High Speed Oven with 7" touchscreen display (3.5 kW) with single magnetron 230V/1N/50Hz - black - Schuko plug

Main Features

- GourmeXpress guarantees high speed cooking results thanks to the combination of :
 - Convection
 - Microwave
 - Impingement (hot air jets)
- Adjustable temperature control from 30°C to 280°C.
- Adjustable impingement speed from 10% to 100% with 10% increment
- Adjustable microwave power from 0% to 100% with 10% increment. With 0% microwave it can be used as a convection oven.
- GourmeXpress High Speed Oven is the solution for fast and consistent cooking (and reheating) results on different types of products for complete meals (frozen products, breaded products, proteins) but also pastry, hot snacks, appetisers, and much more.
- Prearranged for USB memory stick data transfer.
- Countdown display and buzzer with adjustable volume at the end of the cycle (or phase in case of multiphase recipes).
- It is possible to create multiphase recipes with different combinations of temperature, microwave and impingement for each phase.
- Ventless equipment, can be installed without extraction hood. Perfect for front house cooking (see handbook for more details).
- Easy to use 7" capacitive touchscreen user interface where up to 1024 recipes can be stored.
- For easier recipe management each recipe can be linked to:
 - different food categories (i.e. Bakery & Pastry, Pizza & Panini, Eggs & Proteins, Gourmet Preps) and classified as Favourites
 - a customized image
 - a bar code, to be retrieved with a bar code scanner (available as an optional accessory PNC 653820)

Construction

- IPX3 protected.
- 2" adjustable feet.
- Ergonomic door handle.
- Easy to access air filter.
- AISI 304 stainless steel cooking chamber with all rounded corners for easy cleaning.
- Removable easy-to-clean solid baking plate made of aluminium with ceramic coating.
- Catalytic filters.
- Compact footprint with a wide 18-liter cooking chamber.
- Top safety rail ensuring intuitive and stable paddle positioning.



Included Accessories

PNC Code	Description	Quantity
653816	Non-stick Teflon sample basket for GourmeXpress High Speed Oven	1
653817	Non-stick Teflon sample mesh basket for GourmeXpress High Speed Oven	1
653819	Aluminium shovel for GourmeXpress High Speed Oven	1


Recommended Detergents

PNC Code	Description
OS2881	S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T
OS2882	S02 Degreaser. A highly concentrated detergent specifically for cleaning and removing grease from appliances and surfaces. Active up to a maximum of 50°C Complete with spray bottle. Pack of 6x750ml bottles
OS2883	S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity
OS2884	S04 Glasses & Hard Surfaces Cleaner, 6 x 750ml bottles



Technical specifications

Electric	
Supply voltage:	220-240 V/1N ph/50 Hz
Rated amps:	15.2 A
Total Watts:	3.5 kW
Plug type:	CE-SCHUKO
Key Information:	
Oven working Temperature:	25 °C MIN; 280 °C MAX
External dimensions, Width:	450 mm
External dimensions, Depth:	647 mm
External dimensions, Height:	650 mm
Net weight:	61 kg
Shipping weight (gross):	89 kg
Shipping height:	760 mm
Shipping width:	580 mm
Shipping depth:	770 mm
Shipping volume:	0.34 m³
Waterproof index:	IPX3



EI = Electrical inlet (power)
EO = Electrical Outlet



Find out more:
ISO Certificates
[Electrolux Professional Recognitions](#)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.